




Declaration of Performance UTFL001

Declaration of Performance		
UTFL001		
1. Product type:	Double-glazed PVCu window	
2. Product type number:	UTFL001	
3. Intended use:	Not on escape route	
4. Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5. Authorised representative:	Graham Saunders – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m ² .K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Graham Saunders (name & title)</p> <p>Universal Trade Frames 02/2013 (place and date of issue)</p> <p> (signature)</p>		


Declaration of Performance UTFL002

Declaration of Performance		
UTFL002		
1. Product type:	Double-glazed PVCu window	
2. Product type number:	UTFL002	
3. Intended use:	Not on escape route	
4. Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5. Authorised representative:	Graham Saunders – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351–1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m ² .K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Graham Saunders (name & title)</p> <p>Universal Trade Frames 02/2013 (place and date of issue)</p> <p> (signature)</p>		


Declaration of Performance UTFL003

Declaration of Performance		
UTFL003		
1. Product type:	Double-glazed PVCu window	
2. Product type number:	UTFL003	
3. Intended use:	Not on escape route	
4. Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5. Authorised representative:	Graham Saunders – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351–1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m ² .K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Graham Saunders (name & title)</p> <p>Universal Trade Frames 02/2013 (place and date of issue)</p> <p> (signature)</p>		


Declaration of Performance UTFL004

Declaration of Performance		
UTFL004		
1. Product type:	Double-glazed PVCu door	
2. Product type number:	UTFL004	
3. Intended use:	Not on escape route	
4. Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5. Authorised representative:	Graham Saunders – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m ² .K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Graham Saunders (name & title)</p> <p>Universal Trade Frames 02/2013 (place and date of issue)</p> <div style="text-align: right;">  (signature) </div>		


Declaration of Performance UTFL005

Declaration of Performance UTFL005		
1. Product type:	Double-glazed PVCu door	
2. Product type number:	UTFL005	
3. Intended use:	Not on escape route	
4. Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5. Authorised representative:	Graham Saunders – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m ² .K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Graham Saunders (name & title)</p> <p>Universal Trade Frames 02/2013 (place and date of issue)</p> <p> (signature)</p>		

Declaration of Performance UTFL006

Declaration of Performance		
UTFL006		
1. Product type:	Double-glazed PVCu door	
2. Product type number:	UTFL006	
3. Intended use:	Not on escape route	
4. Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5. Authorised representative:	Graham Saunders – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351–1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m ² .K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Graham Saunders (name & title)</p> <p>Universal Trade Frames 02/2013 (place and date of issue)</p> <p style="text-align: right;"> (signature)</p>		

Declaration of Performance UTFL007

Declaration of Performance		
UTFL007		
1. Product type:	Double-glazed PVCu door	
2. Product type number:	UTFL007	
3. Intended use:	Not on escape route	
4. Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5. Authorised representative:	Graham Saunders – address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351–1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m ² .K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Graham Saunders (name & title)</p> <p>Universal Trade Frames 02/2013 (place and date of issue)</p> <div style="text-align: right;">  (signature) </div>		