




Declaration of Performance UTFL001

Declaration of Performance		
UTFL001		
1.	Product type:	Double-glazed PVCu window
2.	Product type number:	UTFLOOI
3.	Intended use:	Not on escape route
4.	Manufacturer:	Universal Trade Frames LTD, Shrewsbury
5.	Authorised representative:	Terry Saunders - address as in point 4
6.	System of assessment of performance:	3
7.	Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010
8.	European Technical Assessment:	Not applicable
9.	Declared performance:	
Essential Characteristic	Performance	Harmonised Technical Specification
9.1	Resistance to wind load	BS EN 14351-1:2006 + A1:2010
9.2	Watertightness	
9.3	Dangerous substances	
9.4	Load-bearing capacity of safety device	
9.5	Acoustic performance	
9.6	Thermal transmittance	
9.7	Radiation properties	
9.8	Air permeability	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Terry Saunders (name & title)</p> <p>Universal Trade Frames 2022 (place and date of issue)</p> <p style="text-align: right;"> (signature)</p>		

Declaration of Performance UTFL002

Declaration of Performance		
UTFL002		
1. Product type:	Double-glazed PVCu window	
2. Product type number:	UTFL002	
3. Intended use:	Not on escape route	
4. Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5. Authorised representative:	Terry Saunders - address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m ² .K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Terry Saunders (name & title)</p> <p>Universal Trade Frames 2022 (place and date of issue)</p> <p>(signature)</p> 		

Declaration of Performance UTFL003


Declaration of Performance			
UTFL003			
1.	Product type:	Double-glazed PVCu window	
2.	Product type number:	UTFL003	
3.	Intended use:	Not on escape route	
4.	Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5.	Authorised representative:	Terry Saunders - address as in point 4	
6.	System of assessment of performance:	3	
7.	Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010	
8.	European Technical Assessment:	Not applicable	
9.	Declared performance:		
	Essential Characteristic	Performance	Harmonised Technical Specification
9.1	Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2	Watertightness	NPD	
9.3	Dangerous substances	None	
9.4	Load-bearing capacity of safety device	350 N	
9.5	Acoustic performance	NPD	
9.6	Thermal transmittance	< 1,6 W/(m².K)	
9.7	Radiation properties	NPD	
9.8	Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Terry Saunders (name & title)</p> <p>Universal Trade Frames 2022 (place and date of issue)</p> <p style="text-align: right;">(signature)</p> <div style="text-align: right; margin-top: 10px;">  </div>			

Declaration of Performance UTFL004


Declaration of Performance		
UTFL004		
1.	Product type:	Double-glazed PVCu door
2.	Product type number:	UTFL004
3.	Intended use:	Not on escape route
4.	Manufacturer:	Universal Trade Frames LTD, Shrewsbury
5.	Authorised representative:	Terry Saunders - address as in point 4
6.	System of assessment of performance:	3
7.	Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010
8.	European Technical Assessment:	Not applicable
9.	Declared performance:	
	Essential Characteristic	Performance
9.1	Resistance to wind load	NPD
9.2	Watertightness	NPD
9.3	Dangerous substances	None
9.4	Load-bearing capacity of safety device	350 N
9.5	Acoustic performance	NPD
9.6	Thermal transmittance	< 1.6 W/(m².K)
9.7	Radiation properties	NPD
9.8	Air permeability	NPD
BS EN 14351-1:2006 + A1:2010		
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Terry Saunders (name & title)</p> <p>Universal Trade Frames 2022 (place and date of issue) (signature)</p>		



Declaration of Performance UTFL00S

Declaration of Performance			
UTFL00S			
1.	Product type:	Double-glazed PVCu door	
2.	Product type number:	UTFL005	
3.	Intended use:	Not on escape route	
4.	Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5.	Authorised representative:	Terry Saunders - address as in point 4	
6.	System of assessment of performance:	3	
7.	Reference harmonised standard:	BS EN 14351-1:2006 +A1:2010	
8.	European Technical Assessment:	Not applicable	
9.	Declared performance:		
Essential Characteristic		Performance	Harmonised Technical Specification
9.1	Resistance to wind load	NPD	BS EN 14351-1:2006 +A1:2010
9.2	Watertightness	NPD	
9.3	Dangerous substances	None	
9.4	Load-bearing capacity of safety device	350 N	
9.5	Acoustic performance	NPD	
9.6	Thermal transmittance	< 1.6 W/(m ² .K)	
9.7	Radiation properties	NPD	
9.8	Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Mr Terry Saunders (name & title)</p> <p>Universal Trade Frames 2022 (place and date of issue) (signature)</p>			

Declaration of Performance UTFL006

Declaration of Performance UTFL006		
1. Product type:	Double-glazed PVCu door	
2. Product type number:	UTFL006	
3. Intended use:	Not on escape route	
4. Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5. Authorised representative:	Terry Saunders - address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/(m².K)	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for and on behalf of the manufacturer by:</p> <p>Mr Terry Saunders (name & title)</p> <p>Universal Trade Frames 2022 (place and date of issue) (signature)</p> 		

Declaration of Performance UTFL007

Declaration of Performance UTFL007		
1. Product type:	Double-glazed PVCu door	
2. Product type number:	UTFL007	
3. Intended use:	Not on escape route	
4. Manufacturer:	Universal Trade Frames LTD, Shrewsbury	
5. Authorised representative:	Terry Saunders - address as in point 4	
6. System of assessment of performance:	3	
7. Reference harmonised standard:	BS EN 14351-1:2006 + A1:2010	
8. European Technical Assessment:	Not applicable	
9. Declared performance:		
Essential Characteristic	Performance	Harmonised Technical Specification
9.1 Resistance to wind load	NPD	BS EN 14351-1:2006 + A1:2010
9.2 Watertightness	NPD	
9.3 Dangerous substances	None	
9.4 Load-bearing capacity of safety device	350 N	
9.5 Acoustic performance	NPD	
9.6 Thermal transmittance	< 1.6 W/{m².K}	
9.7 Radiation properties	NPD	
9.8 Air permeability	NPD	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for and on behalf of the manufacturer by: Mr Terry Saunders (name & title)</p> <p>Universal Trade Frames 2022 (place and date of issue) (signature)</p> 